

CITY OF CROSSVILLE
REQUEST FOR QUOTATION

IMPORTANT: Read Instructions Carefully

THIS IS NOT AN ORDER
RETURN QUOTATION TO:

Page 1 of 2 Pages

City Clerk
City of Crossville
392 North Main Street
Crossville, TN 38555

	Date issued	Delivery required
CRO # 1408	04/07/17	as needed
For more information call: Jeff Johnson 931-277-5126		To be opened date/hour: 05/16/17 2:00 p.m. (CST)
		Prices to be F.O.B. City of Crossville

NOTICE TO BIDDER

THIS IS NOT AN ORDER. Please enter unit prices, extensions, and amount for the items listed herein specified. Be sure the specifications are followed. If you are unable to supply any of the items, please quote on the nearest substitute either on this form, or attach a letter containing such description and it will be considered as part of your quotation. Prices quoted must include all delivery charges to points of delivery indicated hereon. **We reserve the right to accept or reject** any or all bids.

Please submit a bid for **Waterline Supplies** per the attached specifications for a period of one (1) year. The terms of the contract will be from July 1, 2017 to June 30, 2018.

Bidder's Name _____
Address _____

For further information contact:
Jeff Johnson 931-277-5126

Any fuel surcharges must be submitted in advance to City Council for approval, which may result in a re-bidding of the Price Contract.

PLEASE SEE REVERSE SIDE FOR INSTRUCTIONS

IMPORTANT INSTRUCTIONS TO BIDDERS

1. Each quotation should be in a **SEPARATE ENVELOPE** and have typed on the envelope the **QUOTATION NUMBER, OPENING DATE AND TIME**.
2. Specifications used in this request for quotation are intended to be open and non-restrictive. Reference to brand names, catalogs, etc., is to establish minimum standards of quality and does not preclude BUYER'S consideration of bids on comparable quality. All bidders state brand name and catalog number of product bid.
3. All prices quoted should be on a delivered prepaid basis F.O.B. destination shown in the shipping instructions in this request for quotation.
4. Insert time discount terms, if any, in space provided. Discounts is computed from date of delivery at destination or date of receipt of properly executed vendor's invoice at agency indicated above, whichever is later.
5. **TENNESSEE SALES AND/OR USE TAX:** ALL QUOTATIONS MUST BE ON A NET UNIT PRICE BASIS. DO NOT ADD OR INCLUDE TAX, THE AGENCY WILL ADD TAX WHERE APPLICABLE ON THE ORDER.
6. Quotations should be submitted on this form indicating unit price, total extension of each item, and grand total of quotation. In case of error in the extension prices, the unit price will govern.

TIME DISCOUNT ALL ITEMS _____
DELIVERY: We submit the prices and agree to make
delivery within _____ days after the receipt of order.
This offer is for _____ calendar days from the date this
bid is opened.

NOTICE: BID WIL BE REJECTED
UNLESS SIGNED IN INK.

SIGNED BY: _____
Print name _____
FIRM: _____
ADDRESS: _____
City _____ State _____ Zip _____
Date: _____ Telephone _____

In submitting this bid, it is expressly agreed that upon proper acceptance by the City of Crossville of any or all items bid, a contract shall thereby be created with respect to the items accepted.

Bid Specifications for Waterline Supplies

CRO#1408 ALL BRASS SUBJECT TO NEW NO LEAD RULES

1. Smith Blair Style 313 Double Strap Epoxy Coated OR Ford Style F202 or Romac Style 202 (Saddles range to fit PVC, C.I., Ductile, AC pipes) Saddles to be priced to include ALL ranges

2" X 3/4" CC	_____	Each
2"X1' CC	_____	Each
3"X3/4" CC	_____	Each
3"X1" CC	_____	Each
3"X2" I.P.T.	_____	Each
4"X3/4" CC	_____	Each
4"X1" CC	_____	Each
4"X2" I.P.T.	_____	Each
6"X3/4" CC	_____	Each
6"X1" CC	_____	Each
6"X2" I.P.T.	_____	Each
8"X3/4" CC	_____	Each
8"X1" CC	_____	Each
8"X2" I.P.T.	_____	Each
10"X3/4" CC	_____	Each
10"X1" CC	_____	Each
10"X2" I.P.T.	_____	Each
12"X3/4" CC	_____	Each
12"X1" CC	_____	Each
12"X2" I.P.T.	_____	Each
14"X3/4" CC	_____	Each
14"X1" CC	_____	Each
14"X2" I.P.T.	_____	Each
16"X3/4" CC	_____	Each
16"X1" CC	_____	Each
16"X2" I.P.T.	_____	Each

2. Water Meter (Master Meter) 5/8"X3/4" 3GDS Radio Read Meter USG NL _____ Each

3. 1" (Master Meter) 4310-GBL-091-MD-AAA-2 3GDS NL _____ Each

4. 1 1/2" (Master Meter) MJ11-1GD-AAA-2 USG 3GDS NL _____ Each

5. 2" Meter with Flange Connector MJ13-1GD-AAA-2USG 3GDS NL _____ Each

6. 2" DB Compound DC 13-13D-AAB-2-USG-3GDS NL _____ Each

7. 3" DB Compound DC 14-13D-AAB-2-USG-3GDS NL _____ Each

Revised 04/07/17

8. 4" DB Compound DC 15-13D-AAB-2-USG-3GDS **NL** _____ Each
9. Corp Stops (Ford) 3/4" F1000-3-Q **NL** _____ Each
10. Coupling for 3/4" service tubing brass C44-33-Q CRSXCTS **NL** _____ Each
11. 3/4" PE Municipex CTS Service Tubing 500 ft. Coil _____ Each
12. 1" PE Municipex CTS Service Tubing 500 ft. Coil _____ Each
13. Smith Blair 3/4" X 3" Full Circle Clamp for service tubing _____ Each
14. 18" Plastic Meter Box (Carson-Brooks) plastic lid w/CI Flip _____ Each
15. 3/4" Meter yokes (Ford) 7" rise with double check valve on back _____ Each
side ASSE approved, with locking ball valve.
VBHH 72 7W 4133Q Compression inlet. Double purpose outlet. **NL**
16. Brass Saddles (Ford)
- | | | |
|-----------------|-------|------|
| 2"X3/4" S70-203 | _____ | Each |
| 2"X1" S70-204 | _____ | Each |
| 4"X3/4" S70-4X3 | _____ | Each |
| 4"X1" S70-404 | _____ | Each |
| 4"X2" S70-403 | _____ | Each |
| 6"X3/4" S70-603 | _____ | Each |
| 6"X1" S70-604 | _____ | Each |
| 6"X2" S71-607 | _____ | Each |
| 8"X3/4" S70-803 | _____ | Each |
| 8"X1" S70-804 | _____ | Each |
| 10"X3/4S70-1003 | _____ | Each |
| 10"X1" S70-1004 | _____ | Each |
17. 2" Ford Setter w/Ball Valve, w/check valve and By Pass
- | | | |
|------------------------------|-------|------|
| A) VBH77-12B-11-77 NL | _____ | Each |
| B) VBH77-15B-11-77 NL | _____ | Each |
18. 17"X30" Plastic Meter Box 18" BR1720-188/BR1730-C1R _____ Each
19. 15" Concrete Meter Box w/C1 Reader Flip Lid
36H15/36H15B _____ Each
20. 1" Meter Yoke (Ford) 10" rise w/double check valve with locking
ball valve, VBHH74-10W-41-44-Q compression inlet
Dual purpose outlet **NL** _____ Each

21. Master Meter Register 5/8" USG 3G DS-Optics **NL** _____ Each

22. Master Meter Register 5/8" USG 3G DS-Interpreter **LCD** _____ Each

23. Octave Meters

2" Octave Meter w/radio read package CI w/epoxi _____ Each

3" Octave Meter w/radio read package CI w/epoxi _____ Each

4" Octave Meter w/radio read package CI w/epoxi _____ Each

6" Octave Meter w/radio read package CI w/epoxi _____ Each

2" Octave Meter w/radio read package S/S _____ Each

3" Octave Meter w/radio read package S/S _____ Each

4" Octave Meter w/radio read package S/S _____ Each

6" Octave Meter w/radio read package S/S _____ Each

24. Extra Accessories

3G DS Encoder XTR 199-004-50 _____ Each

3G DS Encoder Module 965-010-16 _____ Each

DLG 3G DS Fast Pulse DLG 3G DS Fast Pulse 199-004-57 _____ Each

Octave Double Pulse Output ADA Octave Double Pulse
Output ADA 965-010-19 _____ Each

25: Additional Water Meters

Badger, M25, 5/8" X 3/4" Disc Meter, Cast Iron Bottom, HR-E High Resolution Encoder, 8-wheel display, 5' Iron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections				Each
Badger M55, 1" Disc Meter, Cast Iron Bottom, HR-E High Resolution Encoder, 8-wheel display, 5' Iron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections				Each
Badger M120, 1-1/2" Disc Meter, Elliptical Long with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Iron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections				Each

<p>Badger, M170, 2" Disc Meter, Elliptical Long with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Itron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>
<p>Badger, 2" T-200 Turbo Series Meter, Elliptical with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Itron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>
<p>Badger, 3" T-450 Turbo Series Meter, Elliptical with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Itron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>
<p>Badger, 4" T-1000 Turbo Series Meter, Elliptical with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Itron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>
<p>Badger, 6" T-2000 Turbo Series Meter, Elliptical with Test Plug, HR-E High Resolution Encoder, 8-wheel display, 5' Itron Cable with female connector, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>
<p>Badger, 2" Compound Series Meter, Elliptical with Test Plug, (2) HR-E High Resolution Encoders, 8-wheel display, (2) 5' Itron Cables with female connectors, Plastic Lid/Shroud, Torx Screw, Less Connections</p>			<p>Each</p>

Revised 04/07/17

Badger, 3" Compound Series Meter, Elliptical with Test Plug, (2) HR-E High Resolution Encoders, 8-wheel display, (2) 5' Itron Cables with female connectors, Plastic Lid/Shroud, Torx Screw, Less Connections				Each
Badger, 4" Compound Series Meter, Elliptical with Test Plug (2) HR-E High Resolution Encoders, 8-wheel display, (2) 5' Itron Cables with female connectors, Plastic Lid/Shroud, Torx Screw, Less Connections				Each
Badger, 6" Compound Series Meter, Elliptical with Test Plug, (2) HR-E High Resolution Encoders, 8-wheel display, (2), 5' Itron Cables with female connectors, Plastic Lid/Shroud, Torx Screw, Less Connections				Each

Shipping Instructions:

The City of Crossville has two water departments. Please ship according to orders.

City of Crossville
c/o Billy Martin
376 Sparta Hwy.
Crossville, TN 38555

City of Crossville (Catoosa)
c/o Jeff Johnson
5581 Plateau Rd.
Crossville, TN 38571

PUBLIC NOTICE

TITLE VI OF THE 1964 CIVIL RIGHTS ACT

“No person in the United States shall, on the ground of race, color or national origin, be excluded from participation in, be denied the benefits of, or be subjected to discrimination under any program or activity receiving federal financial assistance.”

The City of Crossville provides benefits and services such as police protection, fire protection, water service, sewer service, sanitation service, infrastructure needs, and other related municipal services. The City also provides funds to certain non-profit organizations.

Anyone who believes that an agency or local government receiving the federal funding mentioned above has discriminated against someone on the basis of race, color or national origin has a right to file a complaint within 180 days of the alleged discrimination.

Sally Oglesby, City Clerk
Title VI Coordinator

Please sign and return to the City of Crossville verifying that your company is in compliance with the above Title VI, 1964 Civil Rights Act.

Authorized Signature

Company

Print Name

Please return to: City of Crossville
 392 N. Main Street
 Crossville, TN 38555

IRAN DIVESTMENT ACT

In compliance with the Iran Divestment Act (State of Tennessee 2016, Public Chapter No. 817), which became effective on July 1, 2016, certification is required of all bidders on contracts over \$1,000.

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party hereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to T.C.A. § 12-12-106.

I affirm, under the penalties of perjury, this statement to be true and correct.

Date

Signature of Bidder

Company

A bid shall not be considered for award nor shall any award be made where the foregoing certification has not been complied with; provided, however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefor. The City of Crossville may award a bid to a bidder who cannot make the certification, on a case-by-case basis, if:

- (1) The investment activities in Iran were made before July 1, 2016, the investment activities in Iran have not been expanded or renewed on or after July 1, 2016, and the person has adopted, publicized, and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran; or
- (2) The City of Crossville makes a determination that the goods or services are necessary for the City of Crossville to perform its functions and that, absent such an exemption, the political subdivision will be unable to obtain the goods or services for which the contract is offered. Such determination shall be made in writing and shall be a public document.